




**SERIA BL**



Typ otwarty



Typ z blaszkami  
(jedna blaszka) Z




Typ z blaszkami  
(dwie blaszki) ZZ

Oznaczenie łożyska			Wymiary główne (mm)				Graniczne prędkości obrotowe (min <sup>-1</sup> )		Nośność bazowa			
Otwarte	Z jedną blaszką	Z dwiema blaszkami	d	D	B	r	Smar	Olej	(N)		{kgf}	
							Otwarte Z-ZZ	Otwarte Z	C <sub>r</sub>	C <sub>0r</sub>	C <sub>r</sub>	C <sub>0r</sub>
BL 205	Z	ZZ	25	52	15	1	12000	15000	14400	10500	1470	1070
BL 305	Z	ZZ	25	62	17	1,1	11000	13000	21500	15500	2200	1580
BL 206	Z	ZZ	30	62	16	1	10000	12000	21000	16300	2150	1660
BL 306	Z	ZZ	30	72	19	1,1	9000	11000	27900	20700	2840	2110
BL 207	Z	ZZ	35	72	17	1,1	9000	11000	27800	22100	2830	2250
BL 307	Z	ZZ	35	80	21	1,5	8000	9500	37000	29100	3800	2970
BL 208	Z	ZZ	40	80	18	1,1	8000	9500	35500	28800	3600	2940
BL 308	Z	ZZ	40	90	23	1,5	7500	9000	46500	36000	4750	3650
BL 209	Z	ZZ	45	85	19	1,1	7500	9000	37000	32000	3800	3250
BL 309	Z	ZZ	45	100	25	1,5	6300	8000	55500	44000	5650	4500
BL 210	Z	ZZ	50	90	20	1,1	6700	8500	39000	35000	3950	3550
BL 310	Z	ZZ	50	110	27	2	6000	7100	65000	52500	6600	5350

<b>BL 211</b>	<b>Z</b>	<b>ZZ</b>	55	100	21	1,5	6300	7500	48000	44000	4900	4500
<b>BL 311</b>	<b>Z</b>	<b>ZZ</b>	55	120	29	2	5600	6700	75000	61500	7650	6250
<b>BL 212</b>	<b>Z</b>	<b>ZZ</b>	60	110	22	1,5	5600	6700	58000	54000	5950	5550
<b>BL 312</b>	<b>Z</b>	<b>ZZ</b>	60	130	31	2,1	5000	6000	85500	71500	8700	7300
<b>BL 213</b>	<b>Z</b>	<b>ZZ</b>	65	120	23	1,5	5300	6300	63500	60000	6450	6150
<b>BL 313</b>	<b>Z</b>	<b>ZZ</b>	65	140	33	2,1	4800	5600	103000	89500	10500	9150
<b>BL 214</b>	<b>Z</b>	<b>ZZ</b>	70	125	24	1,5	5000	6000	69000	66000	7050	6750
<b>BL 314</b>	<b>Z</b>	<b>ZZ</b>	70	150	35	2,1	4300	5300	115000	102000	11800	10400
<b>BL 215</b>	<b>Z</b>	<b>ZZ</b>	75	130	25	1,5	4500	5600	72000	72000	7350	7300
<b>BL 315</b>	<b>Z</b>	<b>ZZ</b>	75	160	37	2,1	4000	5000	126000	116000	12800	11800
<b>BL 216</b>	<b>Z</b>	<b>ZZ</b>	80	140	26	2	4300	5300	84000	85000	8600	8650
<b>BL 316</b>	<b>Z</b>	<b>ZZ</b>	80	170	39	2,1	3800	4500	136000	130000	13900	13300
<b>BL 217</b>	<b>Z</b>	<b>ZZ</b>	85	150	28	2	4000	5000	93000	93000	9500	9450
<b>BL 317</b>	<b>Z</b>	<b>ZZ</b>	85	180	41	3	3600	4300	147000	145000	15000	14800
<b>BL 218</b>	<b>Z</b>	<b>ZZ</b>	90	160	30	2	3800	4500	107000	107000	10900	10900
<b>BL 318</b>	<b>Z</b>	<b>ZZ</b>	90	190	43	3	3400	4000	158000	161000	16100	16400
<b>BL 219</b>	<b>Z</b>	<b>ZZ</b>	95	170	32	2,1	3600	4300	121000	123000	12300	12500
<b>BL 319</b>	<b>Z</b>	<b>ZZ</b>	95	200	45	3	2800	3600	169000	178000	17300	18100
<b>BL 220</b>	<b>Z</b>	<b>ZZ</b>	100	180	34	2,1	3400	4000	136000	140000	13800	14200
<b>BL 221</b>	<b>Z</b>	<b>ZZ</b>	105	190	36	2,1	3200	3800	148000	157000	15000	16000
<b>BL 222</b>	-	-	110	200	38	2,1	2800	3400	160000	176000	16300	17900

\* - Informacje zawarte w tabeli są informacjami poglądowymi, za które firma DORMET nie odpowiada.

## Wymiary zabudowy



Oznaczenie Łożysk			Wymiary zabudowy (mm)			
Otwarte	Z jedną blaszką	Z dwiema blaszkami	$d_a$ min	$d_b$ max	$D_a$ max	$r_a$ max
BL 205	Z	ZZ	30	32	47	1
BL 305	Z	ZZ	31,5	36	55,5	1
BL 206	Z	ZZ	35	38,5	57	1
BL 306	Z	ZZ	36,5	42	65,5	1
BL 207	Z	ZZ	41,5	44,5	65,5	1
BL 307	Z	ZZ	43	44,5	72	1,5
BL 208	Z	ZZ	46,5	50	73,5	1
BL 308	Z	ZZ	48	52,5	82	1,5
BL 209	Z	ZZ	51,5	55,5	78,5	1
BL 309	Z	ZZ	53	61,5	92	1,5
BL 210	Z	ZZ	56,5	60	83,5	1
BL 310	Z	ZZ	59	68	101	2
BL 211	Z	ZZ	63	66,5	92	1,5
BL 311	Z	ZZ	64	72,5	111	2
BL 212	Z	ZZ	68	74,5	102	1,5
BL 312	Z	ZZ	71	79	119	2
BL 213	Z	ZZ	73	80	112	1,5
BL 313	Z	ZZ	76	85,5	129	2
BL 214	Z	ZZ	78	84	117	1,5

<b>BL 314</b>	<b>Z</b>	<b>ZZ</b>	81	92	139	2
<b>BL 215</b>	<b>Z</b>	<b>ZZ</b>	83	90	122	1,5
<b>BL 315</b>	<b>Z</b>	<b>ZZ</b>	86	98,5	149	2
<b>BL 216</b>	<b>Z</b>	<b>ZZ</b>	89	95,5	131	2
<b>BL 316</b>	<b>Z</b>	<b>ZZ</b>	91	104,5	159	2
<b>BL 217</b>	<b>Z</b>	<b>ZZ</b>	94	102	141	2
<b>BL 317</b>	<b>Z</b>	<b>ZZ</b>	98	110,5	167	2,5
<b>BL 218</b>	<b>Z</b>	<b>ZZ</b>	99	107,5	151	2
<b>BL 318</b>	<b>Z</b>	<b>ZZ</b>	103	117	177	2,5
<b>BL 219</b>	<b>Z</b>	<b>ZZ</b>	106	114	159	2
<b>BL 319</b>	<b>Z</b>	<b>ZZ</b>	108	124	187	2,5
<b>BL 220</b>	<b>Z</b>	<b>ZZ</b>	111	121,5	169	2
<b>BL 221</b>	<b>Z</b>	<b>ZZ</b>	116	127,5	179	2
<b>BL 222</b>	-	-	121	-	189	2

\* - Informacje zawarte w tabeli są informacjami poglądowymi, za które firma DORMET nie odpowiada.